# SOUTHWEST SCALE OF GRAIN DISCOUNTS GRAIN SORGHUM Effective Pote Moreh 4 1997

## Effective Date - March 1, 1997

Trading Basis No. 2 Grain Sorghum per Hundredweight

## **Discounts**

Moisture	Moisture deductions are by weight equal to 1.5 times percentage moisture above 14.0%. Deductions for moisture shall be taken from the net weight before other discounts are applied. <u>Buyer's option to reject above 16.0%</u> moisture.
Test Weight	2 cents for each 1 lb. or fraction thereof from 54.9 lbs. to 53.0 lbs.; 4 cents for each 1 lb. or fraction thereof from 52.9 lbs. to 51.0 lbs. <u>Buyer's option to</u> reject below 55.0 lbs. test weight.
Broken Kernel & Foreign Material	4 cents for each 1% or fraction thereof from 7.1% to 13.0%. <u>Buyer's option</u> to reject above 7.0% B.K. & F.M.
Heat-Damage	1 cent for each 0.1% above 0.5%.
Total Damage	2 cents for 1% or fraction thereof from 5.1% to 7.0%; 4 cents for 1% or fraction thereof from 7.1% to 15.0%. Buyer's option to reject above 7.0% T.D.
Heating*10 cents Musty*10 cents Sour*10 cents	Infested* 10 cents DLQ* 10 cents COFO* 10 cents

<sup>\*</sup>If grain is heating, musty, sour, infested, DLQ, COFO, or grades "sample grade", buyer has the option of applying discounts or returning grain to seller at seller's expense.

If discounts exceed ranges in this scale – as defined by official U.S. Grain Standards – buyer has option, upon notifying seller, of negotiating additional discounts or returning grain at seller's expense.

#### **Example**

Purchase 50,000 lbs. of No. 2 grain sorghum at \$4.60/cwt with the Southwest Scale of Grain Discounts to apply.

<u>Factor</u>	Sample <u>Report</u>	<u>Adjustment</u>		<u>Discount</u>
Moisture	- 16.1%	over 2.1%		(See below)
Test Weight	- 54.3 lbs.	under 0.6 lbs.		2 cents
Broken Kernel & Foreign Material	- 8.5%	over 1.5%		8 cents
Heat Damage	- 0.6%	over 0.1%		1 cent
Total Damage	-7.2%	over 2.2%	Total	8 cents 19 cents

#### Calculations

Moisture Discount	2.1% x 1.5 = 3.15%
Moisture Deduction	50,000 lbs. x 3.15% = 1,575 lbs.
Pay Weight	50,000 lbs 1,575 lbs. = 48,425 lbs.
Pay Price	\$4.60 - \$0.19 = \$4.41
PAYMENT	48,425 lbs. x \$4.41/cwt. = \$2,135.54

<sup>\*</sup>All line items (heating, musty, sour, infested, DLQ or COFO) are only discounted if the item appears on the grade certificate.

## SOUTHWEST SCALE OF CORN DISCOUNTS CORN

## Effective Date - March 1, 1997

Trading Basis No. 2 Corn per Hundredweight

## **Discounts**

Moisture	Moisture deductions are by weight equal to 1.5 times percentage moisture above 15.5%. Deductions for moisture shall be taken from the net weight before other discounts are applied. <u>Buyer's option to reject above 17.0%</u> moisture.
Test Weight	2 cents for each 1 lb. or fraction thereof from 53.9 lbs. to 53.0 lbs.; 4 cents for each 1 lb. or fraction thereof from 52.9 lbs. to 46.0 lbs. Buyer's option to
	reject below 54.0 lbs. test weight.
Broken Kernel & Foreign Material	4 cents for each 1% or fraction thereof from 5.1% to 10.0%. Buyer's option
	to reject above 7.0% B.K. & F.M.
Heat-Damage	1 cent for each 0.1% above 0.2%.
Total Damage	2 cents for each 1% or fraction thereof from 5.1% to 7.0%; 4 cents for each
	1% or fraction thereof from 7.1% to 10.0%; 6 cents for each 1% or fraction
	thereof from 10.1% to 20.0%. <u>Buyer's option to reject above 7.0% T.D.</u>
Heating*10 cents	Infested*10 cents
Musty*10 cents	DLQ* 10 cents
Sour <sup>*</sup> 10 cents	COFO* 10 cents

<sup>\*</sup>If grain is heating, musty, sour, infested, DLQ, COFO, or grades "sample grade", buyer has the option of applying discounts or returning grain to seller at seller's expense.

If discounts exceed ranges in this scale – as defined by official U.S. Grain Standards – buyer has option, upon notifying seller, of negotiating additional discounts or returning grain at seller's expense.

### **Example**

Purchase 61,500 lbs. of No. 2 corn at \$5.00/cwt with the Southwest Scale of Grain Discounts to apply.

<u>Factor</u>	Sample <u>Report</u>	<u>Adjustment</u>	<u>Discount</u>
Moisture	- 16.8%	over 1.3%	(See below)
Test Weight	- 54.0 lbs.	none	0 cents
Broken Kernel & Foreign Material	-9.8%	over 4.7%	20 cents
Heat Damage	- 0.4%	over 0.2%	2 cents
Total Damage	-7.2%	over 2.1% Total	8 cents 30 cents

#### Calculations

Moisture Discount	1.3% x 1.5 = 1.95%
Moisture Deduction	61,500 lbs. x 1.95% = 1,199 lbs.
Pay Weight	61,500 lbs 1,199 lbs. = 60,301 lbs.
Pay Price	\$5.00 - \$0.30 = \$4.70
PAYMENT	60,301 lbs. x \$4.70/cwt. = \$2,834.15

<sup>\*</sup>All line items (heating, musty, sour, infested, DLQ or COFO) are only discounted if the item appears on the grade certificate.

## SOUTHWEST SCALE OF WHEAT DISCOUNTS

## WHEAT

## Effective Date - March 1, 1997

Trading Basis No. 2 Wheat per Hundredweight

_		
I)	iscou	ntc

Dockage	Dockage deductions are by weight equal to percentage dockage.  Deductions shall be taken from the net weight before other discounts are applied.
Moisture	Moisture deductions are by weight equal to 1.5 times percentage moisture above 13.5%. Deductions for moisture shall be taken from the net weight after dockage discounts and before other discounts are applied. Buyer's
Test Weight	option to reject above 14.0% moisture2 cents for each 1 lb. or fraction thereof from 57.9 lbs. to 57.0 lbs.; 4 cents for each 1 lb. or fraction thereof from 56.9 lbs. to 56.0 lbs.; 8 cents for each 1 lb. or fraction thereof below 56.0 lbs. Buyer's option to reject below 58.0 lbs. test weight.
Total Defects	1% or fraction thereof from 5.1% to 8.0%; 4 cents for each 1% or fraction thereof from 8.1% to 12.0%; 8 cents for each 1% or fraction thereof above 12.0%. Buyer's option to reject above 7.0% T.D.
Heating*10 cents Musty*10 cents Sour*10 cents	Infested*

<sup>\*</sup>If grain is heating, musty, sour, infested, DLQ, COFO, or grades "sample grade", buyer has the option of applying discounts or returning grain to seller at seller's expense.

If discounts exceed ranges in the scale – as defined by official U.S. Grain Standards – buyer has option, upon notifying seller, of negotiating additional discounts or returning grain at seller's expense.

#### Example

Purchase 51,700 lbs. of No. 2 wheat at \$5.50/cwt with the Southwest Scale of Grain Discounts to apply.

<u>Factor</u>	Sample Report	<u>Adjustment</u>	Discount
Dockage	0.5%	over 0.5%	(See below)
Moisture	15.1%	over 1.6%	(See below)
Test Weight	54.2 lbs.	under 3.7 lbs.	22 cents
Total Defects <u>Calculations</u>	7.2%	over 2.1% Total	6 cents 28 cents
Dockage Discount	51,700 lbs 2 1.6% x 1.5 = 2 51,441 lbs. x 2 51,441 lbs 55.50 - \$0.28	259 lbs. = 51,441 lbs. 2.4% 2.4% = 1,235 lbs. 1,235 lbs. = 50,206 lbs = \$5.22	

<sup>\*</sup>All line items (heating, musty, sour, infested, DLQ or COFO) are only discounted if the item appears on the grade certificate.

## OFFICIAL GRAIN STANDARDS OF THE UNITED STATES

## Grades for Wheat, Grain Sorghums and Corn Effective March 1, 1997

#### WHEAT

	Minimum tes	t weight	Maximum limits of –						
Grade	per busl	nel						Wheat of	other classes <sup>2</sup>
Grade	Hard Red Spring wheat	All other classes	Heat-damaged	Damaged kernels	Foreign	Shrunken and	Defects	Contrasting	Wheat of other
	or White Club wheat	and sub-classes	kernels	(total)	material	Broken Kernels	(total)¹	classes	classes (total)°
	Pounds	Pounds	Percent	Percent	Percent	Percent	Percent	Percent	Percent
U.S. No. 1	58.0	60.0	0.2	2.0	0.4	3.0	3.0	1.0	3.0
U.S. No. 2	2 57.0	58.0	0.2	4.0	0.7	5.0	5.0	2.0	5.0
U.S. No. 3	55.0	56.0	0.5	7.0	1.3	8.0	8.0	3.0	10.0
U.S. No. 4	53.0	54.0	1.0	10.0	3.0	12.0	12.0	10.0	10.0
U.S. No. 5	50.0	51.0	3.0	15.0	5.0	20.0	20.0	10.0	10.0

#### U.S. Sample Grade...U.S. Sample Grade Shall be Wheat that:

- (a) Does not meet the requirements for U.S. Nos. 1, 2, 3, 4 or 5; or
- (b) Has a musty, sour or commercially objectionable foreign odor (except smut or garlic odor); or
- (c) Is heating or of distinctly low quality; or
- (d) Contains 2 or more rodent pellets, bird droppings, or equivalent quantity of other animal filth; or 2 or more castor beans (<u>Ricinus communis</u> L.), 3 or more crotalaria seeds (<u>Crotalaria</u> spp.), 1 or more pieces of glass, 4 or more stones or any number of stones which have an aggregate weight in excess of 0.1 percent of the sample weight, 4 or more particles of an unknown foreign substance(s) or a commonly recognized harmful or toxic foreign combination; or
- (e) 5 total<sup>4</sup>; or
- (f) 32 or more insect-damaged kernels per 100 grams.
- <sup>1</sup> Includes damaged kernels (total), foreign material, and shrunken and broken kernels.
- <sup>2</sup> Unclassed wheat of any grade may contain not more than 10.0 percent of wheat of other classes.
- <sup>3</sup>Includes contrasting classes.

## **SORGHUM**

			Maximum limits of –			
Grade <sup>1</sup>	Minimum last	Damaged kern	Damaged kernels		Broken kernels and foreign material	
	weight per bushel	Heat-damaged kernels	Total	Foreign material (part of total)	Total	
	Pounds	Percent	Percent	Percent	Percent	
U.S. No. 1	57.0	0.2	2.0	1.5	4.0	
U.S. No. 2	55.0	0.5	5.0	2.5	7.0	
U.S. No. 3	53.0	1.0	10.0	3.5	10.0	
U.S. No. 4	51.0	3.0	15.0	4.5	13.0	

#### U.S. Sample Grade... U.S. Sample Grade Shall be Sorghum that:

- (a) Does not meet the requirements for U.S. Nos. 1, 2, 3 or 4; or
- (b) Has a musty, sour or commercially objectionable foreign odor (except smut odor); or
- (c) Is badly weathered, heating or distinctly low quality; or
- (d) Contains 10 or more rodent pellets, bird droppings, or equivalent quantity of other animal filth; or 2 or more castor beans (<u>Ricinus communis</u> L.), 3 or more crotalaria seeds (<u>Crotalaria</u> spp.), 2 or more pieces of glass, 8 or more stones<sup>2</sup>, 4 or more particles of an

unknown foreign substance(s) or a commonly recognized harmful or toxic foreign combination, 8 or more cockleburs (<u>Xanthium</u> spp.).

- <sup>1</sup> Sorghum which is distinctly discolored shall not grade higher than U.S. No. 3
- <sup>2</sup> Aggregate weight of stones must also exceed 0.2 percent of the sample weight.

Sorghum is divided into four classes: Sorghum, Tannin sorghum, White sorghum and Mixed sorghum.

## CORN

		Maximum limits of –			
Grade	Minimum test	Damaged	kernels	Broken kernels and foreign material	
	weight per bushel	Heat-damaged kernels	Total	-	
	Pounds	Percent	Percent	Percent	
U.S. No. 1	56.0	0.1	3.0	2.0	
U.S. No. 2	54.0	0.2	5.0	3.0	
U.S. No. 3	52.0	0.5	7.0	4.0	
U.S. No. 4	49.0	1.0	10.0	5.0	
U.S. No. 5	46.0	3.0	15.0	7.0	

## U.S. Sample Grade...U.S. Sample Grade Shall be Corn that:

- (a) Does not meet the requirements for U.S. Nos. 1, 2, 3, 4 or 5; or
- (b) Contains 8 or more stones which have an aggregate weight in excess of 0.2 percent of the sample weight, 2 or more pieces of glass, 3 or more crotalaria seeds (<u>Crotalaria</u> spp.), 2 or more castor beans (<u>Ricinus communis</u> L.), 4 or more particles of an unknown

foreign substance(s) or a commonly recognized harmful or toxic substance(s), 8 or more cockleburs (Xanthium spp.) or similar seeds singly or in combination, or animal filth in excess of 0.2 percent in 1,000 grams; or

- (c) Has musty, sour or commercially objectionable foreign odor; or
- (d) Is heating or otherwise of distinctly low quality.

<sup>&</sup>lt;sup>4</sup>Includes any combination of animal filth, castor beans, crotalaria seeds, glass, stones or unknown foreign substance.